



**Tasman District Council  
Consolidated Bylaw**

**Chapter 9**

**TRADE WASTE BYLAW 2005**

# TABLE OF CONTENTS

## PART 1

	<b>Page No.</b>
<b>1 Introduction</b>	<b>03</b>
<b>1.1 Commencement and application</b>	<b>03</b>
<b>1.2 Revocation</b>	<b>03</b>
<b>1.3 Scope of the Bylaw</b>	<b>03</b>
<b>1.4 Referenced documents</b>	<b>04</b>
<b>1.5 Interpretation</b>	<b>06</b>
<b>1.6 Abbreviations</b>	<b>12</b>
<b>1.7 General</b>	<b>13</b>
<b>2 Compliance with the Bylaw</b>	<b>14</b>
<b>2.1 Control of discharges</b>	<b>14</b>
<b>2.2 Storage, transport, handling and use of hazardous or harmful materials</b>	<b>14</b>
<b>3 Trade Waste Discharges and Consents</b>	<b>15</b>
<b>3.1 Classification of Trade Waste discharges</b>	<b>15</b>
<b>3.2 Application for a Trade Waste consent</b>	<b>15</b>
<b>3.3 Processing of an application</b>	<b>16</b>
<b>3.4 Information and analysis</b>	<b>16</b>
<b>3.5 Consideration of an application</b>	<b>17</b>
<b>3.6 Consideration criteria</b>	<b>17</b>
<b>3.7 Conditions of Trade Waste consent</b>	<b>18</b>
<b>3.8 Duration</b>	<b>20</b>
<b>3.9 Technical review and variation</b>	<b>21</b>
<b>3.10 Cancellation of the right to discharge</b>	<b>22</b>

<b>4</b>	<b>Trade Waste Approval Criteria</b>	<b>23</b>
4.1	Pre-treatment	23
4.2	Mass limits	24
<b>5</b>	<b>Sampling, Testing and Monitoring</b>	<b>25</b>
5.1	Flow metering	25
5.2	Estimating discharge	26
5.3	Sampling and analysis	26
5.4	Monitoring	27
<b>6</b>	<b>Bylaw Administration</b>	<b>29</b>
6.1	Review of decisions	29
6.2	Accidents and non-compliance	30
6.3	Charges and payments	30
6.4	Authorised officers	31
6.5	Transfer or termination of rights and responsibilities	31
6.6	Service of documents	32
6.7	Offences	33
6.8	Transitional Provisions	34
<b>7</b>	<b>Date Bylaw Made</b>	<b>34</b>
<b>Schedules</b>		
<b>1A</b>	<b>Permitted discharge characteristics</b>	<b>35</b>
	<b>Table</b>	
1A.1	General chemical characteristics	38
1A.2	Heavy metals	39
1A.3	Organic compounds and pesticides	40
<b>1B</b>	<b>Trade Waste Charges</b>	<b>41</b>

## TRADE WASTE BYLAW – 2005

### 1 INTRODUCTION

Pursuant to Section 145 of the Local Government Act 2002, the Tasman District Council makes the following Bylaw: Trade Waste Bylaw 2005. This Bylaw regulates the discharge of Trade Waste to a Sewerage System operated by the Council.

#### 1.1 Commencement and Application

Commencement  
& application

This Bylaw comes into force on 1 July 2006.

#### 1.2 Revocation

Revocation

The following bylaws shall be revoked on 30 June 2006: All previous Tasman District Council Bylaws relating to Trade Waste.

#### 1.3 Scope of Bylaw

Scope of Bylaw

##### 1.3.1 The Bylaw provides for the:

- (a) Acceptance of long term, intermittent, or temporary discharge of Trade Waste to the sewerage system;
- (b) Establishment of three grades of Trade Waste: Permitted, Conditional and Prohibited;
- (c) Evaluation of individual Trade Waste discharges against specified criteria;
- (d) Correct storage of materials in order to protect the sewerage system from spillage;
- (e) Installation of flow meters, samplers or other devices to measure flow and quality of the Trade Waste discharge;
- (f) Pre-treatment of waste before it is accepted for discharge to the sewerage system;
- (g) Sampling and monitoring of Trade Waste discharges to ensure compliance with the Bylaw;
- (h) Council to accept or refuse a Trade Waste discharge;
- (i) Charges to be set to cover the cost of conveying, treating and disposing of, or reusing Trade Waste, and the associated costs of administration and monitoring;
- (j) Administrative mechanisms for the operation of the Bylaw; and
- (k) Encouragement of waste minimisation and cleaner production in the commercial and industrial sectors.

### 1.3.2 Compliance with other Acts

Compliance with other Acts

Nothing in this Bylaw shall derogate from any of the provisions of the Health Act, the Health and Safety in Employment Act, the Resource Management Act, the Building Act, the Hazardous Substances and New Organisms Act and its regulations or any other relevant statutory or regulatory requirements. In the event of any inconsistency between legislation the more stringent requirement applies.

### 1.3.3 Trade Premises and other Users to which this Bylaw Applies

Trade premises and other users to which the Bylaw applies

This Bylaw shall apply to all Trade Premises within the Tasman District where Trade Wastes are discharged or sought or likely to be discharged to the sewerage system operated by the Council or its agents. The Bylaw shall also apply to tankered wastes collected for the purpose of discharge to the sewerage systems operated by the Council or its agents.

Pursuant to Section 196 of the Local Government 2002 the Council may refuse to accept any type of Trade Waste which is not in accordance with this Bylaw.

## 1.4 Referenced Documents

Referenced documents

NZS 4304:2002 Management of healthcare waste  
NZS5465:2001 Self containment for motor caravans and caravans  
NZS 9201:2004 Model general bylaws  
Part 22:1999 Wastewater Drainage

New Zealand Standards

AS/NZS 5667 Water quality – Sampling  
Part 1:1998 Guidance on the design of sampling programmes, sampling techniques and the preservation and handling of samples  
Part 10:1998 Guidance on sampling of waste waters

Joint Australian/  
New Zealand  
Standards

BS 3680: Measurement of liquid flow in open channels  
Part 11A:1992 Free surface flow in closed conduits – Methods of measurement  
Part 11B:1992 Free surface flow in closed conduits – Specification for performance and installation of equipment for measurement of free surface flow in closed conduits

British Standards

BS 5728 Measurement of flow of cold potable water in closed conduits  
Part 3:1997 Methods for determining principal characteristics of single Mechanical water meters (including test equipment)

BS6068: Water quality  
Part 6: Sampling  
Sec 6.10:1993 Guidance on sampling of waste waters

BS EN 25667-1:19934 Water quality. Sampling. Guidance on the design of

Sampling programmes  
BS 6068-6.1:1981

BS EN 25667-2:1993 Water quality. Sampling. Guidance on sampling  
Techniques  
BS6068-6.2:1991

BS EN 5667-3:2003 Water quality. Sampling. Guidance on the preservation  
and handling of water  
BS6068-6.3:2003 Samples

Building Act 2004  
Hazardous Substances & New Organisms Act (HSNO) 1996 and associated  
Regulations  
Health Act 1956  
Health and Safety in Employment Act 1992  
Land Transport Rule Dangerous Goods 1999 Rule 45001  
Local Government Act (LGA) 1974 and 2002  
Resource Management Act (RMA) 1991 and associated Regulations.

**New Zealand  
Legislation**

Agricultural and Resource Management Council of Australia and New Zealand  
(ARMCANZ) and  
Australia New Zealand Environment and Conservation Council (ANZECC)  
Guidelines for sewerage systems: Acceptance of Trade Wastes (industrial  
waste) 12 (1994)  
Document available from Australian Water Association (AWA)  
[www.awa.asn.au](http://www.awa.asn.au)

**Other Publications**

American Water Works Association  
Standard methods for the examination of water and wastewater 20<sup>th</sup> Edition  
(1999)  
Document available from American Water Works Association [www.aTDC.org](http://www.aTDC.org)

Building Industry Authority  
New Zealand Building Code (NZBC) 1992 and Approved Documents  
Document available from Building Industry Authority (BIA) [www.bia.govt.nz](http://www.bia.govt.nz)

Ministry for the Environment (MfE)  
Landfill Acceptance Criteria (2004)  
The New Zealand Waste Strategy (2002)  
Documents available from Ministry for the Environment New Zealand  
[www.mfe.govt.nz](http://www.mfe.govt.nz)

National Radiation Laboratory (NRL)  
NRL C1 Code of safe practice for the use of unsealed radioactive materials  
(1996).  
Document available from National Radiation Laboratory [www.nrl.moh.govt.nz](http://www.nrl.moh.govt.nz)

New Zealand Water and Wastes Association (NZWWA)  
Guidelines for the Safe Application of Biosolids to Land in New Zealand (2003)  
Liquid and Hazardous Wastes Code of Practice (2003)  
Documents available from New Zealand Water & Wastes Association  
(NZWWA) [www.NZWWA.org.nz](http://www.NZWWA.org.nz)

New Zealand Water Environment Research Foundation (NZWERF)  
New Zealand Municipal Wastewater Monitoring Guidelines (2002)

Document available from New Zealand Water Environment Research Foundation (NZWERF) [www.nzwerf.org](http://www.nzwerf.org)

Sydney Water Corporation  
Trade Waste Policy (2004)  
Document available from Sydney Water Corporation [www.sydneywater.com.au](http://www.sydneywater.com.au)

United States Environment Protection Agency (US EPA)  
Method 9095A Paint Filter Liquids Test (1996)  
Document available from United States Environmental Protection Agency  
[www.epa.gov](http://www.epa.gov)

Tasman Resource Management Plan (TRMP) [www.tasman.govt.nz](http://www.tasman.govt.nz)

## 1.5 Interpretation

### Interpretation

In this Bylaw, except where inconsistent with the context:

ACCESS POINT is a place where access may be made to a private drain for inspection (including sampling or measurement), cleaning or maintenance. The location of the Access Point shall be in accordance with the New Zealand Building Code.

### Access Point

ANALYST means a testing laboratory approved in writing by the Authorised Officer on behalf of the Council.

### Analyst

APPROVAL or APPROVED means Approval or Approved in writing by the Wastewater Authority (Council), either by resolution of the Council or by an Authorised Officer.

### Approval or Approved

AUTHORISED OFFICER means any officer appointed by the Territorial Authority (TA) as an enforcement officer under Section 177 of the Local Government Act 2002 as an enforcement officer with powers of entry as prescribed by sections 171-174.

### Authorised Officer

BIOSOLIDS means sewage sludge derived from a sewage treatment plant that has been treated and/or stabilised to the extent that it is able to be safely and beneficially applied to land and does not include products derived solely from industrial wastewater treatment plants. The term Biosolid/Biosolids is used generically throughout this document to include products containing Biosolids (e.g. composts).

### Biosolids

CHARACTERISTIC means any of the physical or chemical Characteristics of a Trade Waste and may include the level of a characteristic.

### Characteristic

CLEANER PRODUCTION means the implementation on trade premises, of effective operations, methods and processes appropriate to the goal of reducing or eliminating the quantity and toxicity of wastes. This is required to minimize and manage Trade Waste by:

**Cleaner  
Production**

- (a) Using energy and resources efficiently, avoiding or reducing the amount of wastes produced;
- (b) Producing environmentally sound products and services;
- (c) Achieving less waste, fewer costs and higher profits.

CONDENSING WATER or COOLING WATER means any water used in any trade, industry, or commercial process or operation in such a manner that it does not take up matter into solution or suspension.

**Condensing  
Water or  
Cooling Water**

CONDITIONAL TRADE WASTE means Trade Waste which has conditions placed upon the Consent Holder by the Council.

**Conditional  
Trade Waste**

CONSENT means a Consent in writing given by the Council and signed by an Authorised Officer authorising a person to discharge Trade Wastes to the sewerage system.

**Consent**

CONSENT HOLDER means the person occupying trade premises who has obtained a consent to discharge or direct the manner of discharge of Trade Waste from any premises to the Council's sewerage system, and includes any person who does any act on behalf or with the express or implied consent of the consent holder (whether for reward or not) and any licensee of the Consent Holder.

**Consent Holder**

CONTAMINANT includes any substance (including gases, odorous compounds, liquids, solids and micro-organisms) or energy (excluding noise) or heat, that either by itself or in combination with the same, similar, or other substances, energy or heat:

**Contaminant**

- (a) When discharged into water, changes or is likely to change the physical, chemical, or biological condition of water; or
- (b) When discharged onto or into land or into air, changes or is likely to change the physical, chemical, or biological condition of the land or air onto or into which it is discharged

or as described or contained in the Resource Management Act.



CONTINGENCY MANAGEMENT PROCEDURES means those procedures developed and used to avoid, remedy, or mitigate the actual and/or potential adverse effects of these activities on the environment from an unexpected or unscheduled event resulting in discharge, or potential discharge of Contaminants of concern into the sewerage system.	<b>Contingency Management Procedures</b>
COUNCIL means the Tasman District Council.	<b>Council</b>
DISCONNECTION means the physical cutting and sealing of any of the Wastewater Authority's water services, utilities, drains or sewer for use by any person.	<b>Disconnection</b>
DISTRICT means the Tasman District Council established under the Local Government Act which has adopted this Bylaw.	<b>District</b>
DOMESTIC SEWAGE means foul water (with or without matter in solution or suspension therein) discharged from premises used solely for residential purposes, or wastes of the same character discharged from other premises; but does not include any solids, liquids, or gases that may not lawfully be discharged into the sewerage system and may include geothermal water.	<b>Domestic Sewage</b>
FOUL WATER means the discharge from any sanitary fixtures (any fixture which is intended to be used for sanitation – the term used to describe activities of washing and/or excretion carried out in a manner or condition such that the effect on health is minimised, with regard to dirt and infection) or sanitary appliance (an appliance which is intended to be used for sanitation which is not a sanitary fixture – included are machines for washing dishes and clothes).	<b>Foul Water</b>
HAZARDOUS WASTES means hazardous substances as defined by the Hazardous Substances and New Organisms Act 1996.	<b>Hazardous Wastes</b>
INFRINGEMENT means an offence as specified by this Bylaw under Section 243 and 259 of the Local Government Act 2002.	<b>Infringement</b>
LGA means Local Government Act 1974 and 2002	<b>LGA</b>
LTCCP (LONG TERM COUNCIL COMMUNITY PLAN) means a long term council community plan adopted under Section 93 of the Local Government Act 2002.	<b>Long Term Council Community Plan</b>

MANAGEMENT PLAN means the plan for management of operations of the Premises from which Trade Wastes come, and may include provision for Cleaner Production, waste minimisation, discharge, Contingency Management Procedures, and any relevant industry Code of Practice.	<b>Management Plan</b>
MASS LIMIT means the total mass of any characteristic that may be discharged to the Wastewater Authority Sewerage System over any stated period from any single point of discharge or collectively from several points of discharge.	<b>Mass Limit</b>
MAXIMUM CONCENTRATION means the instantaneous peak concentration that may be discharged at any instant in time.	<b>Maximum Concentration</b>
OCCUPIER means the person occupying the trade premises connected to the sewerage system.	<b>Occupier</b>
PERMITTED DISCHARGE means a Trade Waste discharge that has been approved by, or is acceptable to, the Wastewater Authority and as long as it has the physical and chemical characteristics which comply with the requirements of the Wastewater Authority standard as defined in Schedule 1A of this Bylaw.	<b>Permitted Discharge</b>
PERSON includes a corporation sole and also a body of Persons whether incorporated or unincorporated.	<b>Person</b>
POINT OF DISCHARGE is the boundary between the public sewer and a private drain but for the purposes of monitoring, sampling and testing, shall be as designated in the Trade Waste consent.	<b>Point of Discharge</b>
PRE-TREATMENT means any processing of Trade Waste designed to reduce or vary any characteristic in a waste before discharge to the sewerage system in order to comply with a Trade Waste consent.	<b>Pre-treatment</b>
PREMISES means either:	<b>Premises</b>
<ul style="list-style-type: none"> <li>(a) A property or allotment which is held under a separate certificate of title or for which a separate certificate of title may be issued and in respect to which a building consent has been or may be issued; or</li> <li>(b) A building that has been defined as an individual unit by a cross-lease, unit title or company lease and for which a certificate of title is available; or</li> </ul>	

- (c) Land held in public ownership (e.g. reserve) for a particular purpose; or
- (d) Individual units in buildings which are separately leased or separately occupied.

PRIVATE DRAIN means that section of drain between the premises and the point of connection to the wastewater Authority's sewerage system. **Private Drain**

PROHIBITED TRADE WASTES means a Trade Waste that has prohibited characteristics as defined in Schedule 1B and does not meet the conditions of Schedule 1A. The waste is not acceptable for discharge into the Wastewater Authority's system unless specifically approved by them as a conditional Trade Waste. **Prohibited Trade Wastes**

REGIONAL SEWERAGE AUTHORITY means the Nelson Regional Sewerage Business Unit (NRSBU). **Regional Sewerage Authority**

RMA means Resource Management Act 1991 **RMA**

SCHEDULE OF RATES AND CHARGES means the list of items, terms and prices for services associated with the discharge of Trade Waste as approved by the Wastewater Authority. **Schedule of Rates and Charges**

SEWAGE means foul water and may include Trade Wastes. **Sewage**

SEWAGE SLUDGE means the material settled out and removed from sewage during the treatment process. **Sewage Sludge**

SEWER means the pipework drainage system that conveys sewage. **Sewer**

SEWERAGE SYSTEM means the collection, treatment and disposal of sewage and Trade Wastes, including all sewers, pumping stations, storage tanks, sewage treatment plants, outfalls, and other related structures operated by either the Council or NRSBU and used for the reception, treatment and disposal of Trade Wastes. **Sewerage System**

SIGNIFICANT INDUSTRY is a term to indicate the relative size of a given industry compared to the capacity of the sewerage system (including sewage treatment plant) which services that industry. Industry size relates to volume and/or loads discharging into the sewerage system. Loads can be the conventional loadings of BODs and SS or some other particular **Significant Industry**

contaminant (e.g. boron, chromium) which will have an effect or the propensity to have an effect on the sizing of the sewerage system, the on-going system operation and/or the quality of the treated effluent that is discharged.

STORMWATER means surface water run-off resulting from precipitation. **Stormwater**

TANKERED WASTE is water or other liquid, including waste matter in solution or suspension, which is conveyed by vehicle for disposal, excluding domestic sewage discharged directly from house buses, caravans, buses and similar vehicles. **Tankered Waste**

TDC means Tasman District Council. **TDC**

TEMPORARY DISCHARGE means any discharge of an intermittent or short duration. Such discharges include the short-term discharge of an unusual waste from premises subject to an existing consent. **Temporary Discharge**

TA (TERRITORIAL AUTHORITY) means a city council or district council. **TA  
Territorial  
Authority**

TRADE PREMISES means: **Trade Premises**

- (a) Any premises used or intended to be used for any industrial or trade purpose; or
- (b) Any premises used or intended to be used for the storage, transfer, treatment, or disposal of waste materials or for other waste management purposes, or used for composting organic materials; or
- (c) Any other premises from which a contaminant is discharged in connection with any industrial or trade process;
- (d) Any other premises discharging other than domestic sewage, and includes any land or premises wholly or mainly used for agricultural or horticultural purposes.

TRADE WASTE is any liquid, with or without matter in suspension or solution, that is or may be discharged from a trade premises to the Council sewerage system in the course of any trade or industrial process or operation, or in the course of any activity or operation of a like nature; and may include condensing or cooling waters; stormwater which cannot be practically separated, or domestic sewage. **Trade Waste**

WASTEWATER AUTHORITY (WWA) means the unit of a TA including its authorised agents, responsible for the collection, treatment and disposal of sewage.

Wastewater  
Authority

WORKING DAY means any day of the week other than:

Working Day

- (a) A Saturday, a Sunday, Waitangi Day, Good Friday, Easter Monday, Anzac Day, the Sovereign's birthday, Labour Day; and
- (b) A day in the period commencing with the 25<sup>th</sup> day of December in a year and ending with the 2<sup>nd</sup> day of January in the following year.

UNITARY AUTHORITY means a local authority that is a combined Regional Authority and Territorial Authority.

Unitary  
Authority

## 1.6 Abbreviations

\$/kg	dollars per kilogram
\$/L/s	dollars per litre per second
\$/m <sup>3</sup>	dollars per cubic metre
°C	degrees Celsius
ANZECC	Australian New Zealand Environment and Conservation Council
B	Boron
BOD <sub>5</sub>	Biochemical Oxygen Demand
Br <sub>2</sub>	bromine
Cl <sub>2</sub>	chlorine
CN	cyanide
COD	Chemical Oxygen Demand
DAF	dissolved air floatation
DP	deposited plan
DS	dry solids
F	fluoride
FOGs	fats, oils and greases
g/m <sup>3</sup>	grams per cubic metre
GST	goods and services tax
H <sub>2</sub> S	hydrogen sulphide
HAHs	halogenated aromatic hydrocarbons
HCHO	formaldehyde
HCN	hydrogen cyanide
hr	hour
HSNO	Hazardous Substances and New Organisms Act
kg/day	kilogram per day
L	litre

L/s	litre per second
LGA	Local Government Act
LTCCP	long term council community plan
m <sup>3</sup>	cubic metre
max.	maximum
MBAS	methylene blue active substances
MfE	Ministry for the Environment
mg/L	milligram per litre
mL/L	millilitre per litre
mm	millimetres
MSDS	material safety data sheets
N	nitrogen
NH <sub>3</sub>	ammonia
NH <sub>3</sub> -N	ammoniacal nitrogen
NRSBU	Nelson Regional Sewerage Business Unit
P	phosphorus
PAHs	polycyclic (or polynuclear) aromatic hydrocarbons
PBBs	polybrominated biphenyls
PCBs	polychlorinated biphenyls
pH	measure of acidity/alkalinity
ppm	parts per million
RMA	Resource Management Act
s	second
s.	section
s.s	sections
SBR	sequencing batch reactor
SO <sub>4</sub>	sulphate
SS	suspended solids concentration
TAs	territorial authorities
TDC	Tasman District Council
UV	ultra violet
UVT	ultra violet transmission
WC	water closet
WWA	wastewater authority

## 1.7 General

General

- 1.7.1** In this Bylaw one gender includes all genders, the singular includes the plural, and the plural includes the singular.
- 1.7.2** The word “shall” identifies a mandatory requirement for compliance with the Standard. The word “should” refers to practices which are advised or recommended.

## 2 COMPLIANCE WITH THE BYLAW

### 2.1 Control of Discharges

Control of Discharges

#### 2.1.1 No person shall:

- (a) Discharge, or allow to be discharged, any Trade Waste to the sewerage system except in accordance with the provisions of this Bylaw;
- (b) Discharge, or allow to be discharged, a prohibited Trade Waste into the sewerage system;
- (c) Add or permit the addition of condensing or cooling water to any Trade Waste which discharges into the sewerage system unless specific approval is given in a consent; or
- (d) Add or permit the addition of stormwater to any Trade Waste which discharges into the sewerage system unless specific approval is given in a consent.

#### 2.1.2 In the event of failure to comply with 2.1.1(a)-(d) the Council may physically prevent discharge to the sewerage system if a reasonable alternative action cannot be established with the discharging party or parties.

#### 2.1.3 Any person discharging to the Council sewerage system shall also comply with the requirements of the Hazardous Substances and New Organisms (HSNO) Act and the RMA.

### 2.2 Storage, Transport, Handling and Use of Hazardous or Harmful Materials

Storage, transport, handling and use of hazardous or harmful materials

- (a) All persons on trade premises shall take all reasonable steps to prevent the accidental entry of any of the materials listed in 2.2(c) of this Bylaw from entry into the sewerage system as a result of leakage, spillage or other mishap.
- (b) No person shall store, transport, handle or use, or cause to be stored, transported, handled or used any hazardous substance as defined by the HSNO or any of the materials listed in 2.2(c) in a manner that may cause the material to enter the sewerage system and cause harmful effects.
- (c) Materials referred to in 2.2(a) and (b) are those:
  - (i) Products or wastes containing corrosive, toxic, biocidal, radioactive, flammable or explosive materials;
  - (ii) Likely to generate toxic, flammable, explosive or

- corrosive materials in quantities likely to be hazardous, when mixed with the wastewater stream;
- (iii) Likely to be deleterious to the health and safety of the Council staff, approved contractors and the public or be harmful to the sewerage system.

### **3 TRADE WASTE DISCHARGES AND CONSENTS**

#### **3.1 Classification of Trade Waste Discharges**

**Classification of Trade Waste Discharges**

**3.1.1** Trade Waste discharges shall be classified as one of the following types:

- (a) Permitted (consent required if decided by the Council);
- (b) Conditional (consent required); or
- (c) Prohibited (not consentable).

NB: See the definitions in 1.5

**3.1.2** The Council is not obliged to accept any Trade Waste. No application for a Trade Waste consent shall be approved where the Trade Waste discharge would contain, or is likely to contain, characteristics which are prohibited.

**3.1.3** No person shall discharge, or cause to be discharged, any Trade Waste to the Council's sewer except in accordance with the provisions of this Bylaw.

#### **3.2 Application for a Trade Waste Consent**

**Application for a Trade Waste Consent**

##### **3.2.1 Formal Application**

**Formal Application**

Every person who does, proposes to, or is likely to:

- (a) Discharge into the sewerage system any Trade Waste (either continuously, intermittently or temporarily); or
- (b) Vary the characteristics of consent to discharge that has previously been granted; or
- (c) Vary the conditions of consent to discharge that has previously been granted; or
- (d) Significantly change the method or means of pre-treatment for discharge under an existing consent shall:

if required by the Council to complete an application in the prescribed form for the consent of the Council (see Guideline - Appendix A), to the discharge of that Trade Waste, or to the proposed variations.



- 3.2.2** The Council reserves the right to deal with the owner as well as the occupier of any trade premises.
- 3.2.3** Where the trade premises produces Trade Waste from more than one area, a separate copy of the “Description of Trade Waste and Premises” (see Guideline - Appendix B) shall be included in any application for Trade Waste discharge for each area. This applies whether or not the separate areas are part of a single or separate trade process.
- 3.2.4** The applicant shall ensure that the application and every other document conveying required information is properly executed and any act done for, or on behalf of, the eventual consent holder (whether for reward or not) in making any such application shall be deemed to be an act of the consent holder.
- 3.2.5** The Council may require an application to be supported by an independent report/statement completed by a suitably experienced and external auditor to verify any or all information supplied by the applicant, and this may include a management plan.
- 3.2.6** Every application shall be accompanied by a Trade Waste application fee in accordance with the Council’s schedule of rates and charges.

**3.3 Processing of an Application**

**Processing of an Application**

The Council shall acknowledge the application in writing within 10 working days of the receipt of the application.

**3.4 Information and Analysis**

**Information and Analysis**

- 3.4.1** On the receipt of any application for a Trade Waste consent to discharge from any premises or to alter an existing discharge, the Council may:
  - (a) Require the applicant to submit any additional information which it considers necessary to reach an informed decision;
  - (b) Require the applicant to submit a management plan to the satisfaction of the Council;
  - (c) Whenever appropriate have the discharge investigated and analysed as provided for in 5.1 and 5.3 of this Bylaw.

- 3.4.2** The Council shall notify the applicant of any requirement under this clause within 10 working days of receipt of the application.

**3.5 Consideration of an Application**

**Consideration of  
an Application**

Within 15 working days (or extended as necessary by the Council) of receipt of an application complying with this Bylaw and/or all requirements under 3.4, whichever is the later, the Council shall, after considering the matters in 3.6 action one of the following in writing:

- (a) Grant the application a Permitted Trade Waste and inform the applicant of the decision by issuing the appropriate notice;
- (b) Grant the application as a Conditional Trade Waste discharge consent and inform the applicant of the decision and the conditions imposed on the discharge by issuing the appropriate notice of consent to the discharge; or
- (c) Decline the application and notify the applicant of the decision giving a statement of the reasons for refusal.

**3.6 Consideration Criteria**

**Consideration  
Criteria**

In considering any application for a Trade Waste consent to discharge from any trade premises or tankered waste into the sewerage system and in imposing any conditions on such a consent, the Council shall take into consideration the quality, volume, and rate of discharge of the Trade Waste from such premises or tanker in relation to:

- (a) The health and safety of Council staff, Council's agents and the public.
- (b) The limits and/or maximum values for characteristics of Trade Waste as specified in Schedules 1A and 1B of this Bylaw;
- (c) The extent to which the Trade Waste may react with other trade waste or foul water to produce an undesirable effect, e.g. settlement of solids, production of odours, accelerated corrosion and deterioration of the sewerage system etc.
- (d) The flows and velocities in the sewer, or sewers and the material or construction of the sewer or sewers.
- (e) The capacity of the sewer or sewers and the capacity of any sewage treatment works, and other facilities.
- (f) The nature of any sewage treatment process and the degree to which the Trade Waste is capable of being treated in the sewage treatment works;

- (g) The timing and balancing of flows into the sewerage system;
- (h) Any statutory requirements relating to the discharge of raw or treated wastewater to receiving waters, the disposal of sewage sludges, beneficial use of biosolids, and any discharge to air (including the necessity for compliance with any resource consent, discharge permit or water classification);
- (i) The effect of the Trade Waste discharge on the ultimate receiving environment;
- (j) The conditions on resource consents for the sewerage system and the residuals from it;
- (k) The possibility of unscheduled, unexpected or accidental events and the degree of risk these could cause to humans, the sewerage system and the environment;
- (l) Consideration for other existing or future discharges;
- (m) Amenability of the Trade Waste to pre-treatment;
- (n) Existing pre-treatment works on the premises and the potential for their future use;
- (o) Cleaner production techniques and waste minimization practices;
- (p) Requirements and limitations related to sewage sludge disposal and reuse;
- (q) Control of stormwater;
- (r) Management plan; and
- (s) Tankered waste being discharged at an approved location(s).

### **3.7 Conditions of Trade Waste Consent**

**Conditions of  
Trade Waste  
consent**

Any Trade Waste consent to discharge may be granted subject to such conditions that the Council may impose, including but not limited to:

- (a) The particular public sewer or sewers to which the discharge will be made;
- (b) The maximum daily volume of the discharge and the maximum rate of discharge, and the duration of maximum discharge.
- (c) The maximum limit or permissible range of any specified characteristics of the discharge, including concentrations and/or mass limits determined in accordance with 3.8;
- (d) The period or periods of the day during which the discharge, or a particular concentration, or volume of discharge may be made;

- (e) The degree of acidity, or alkalinity of the discharge at the time of discharge.
- (f) The temperature of the Trade Waste at the time of discharge.
- (g) The provision by, or for the consent holder, at the consent holder's expense, of screens, grease traps, silt traps or other pre-treatment works to control Trade Waste discharge characteristics to the consented levels;
- (h) The provision and maintenance at the consent holder's expense of inspection chambers, manholes or other apparatus or devices to provide reasonable access to drains for sampling and inspection;
- (i) The provision and maintenance of a sampling, analysis and testing programme and flow measurement requirements, at the consent holder's expense;
- (j) The method or methods to be used for the measuring flow rates and/or volume and taking samples of the discharge for use in determining the amount of any Trade Waste charges applicable to that discharge.
- (k) The provision and maintenance by, and the expense of, the consent holder of such meters or devices as may be required to measure the volume or flow rate of any Trade Waste being discharged from the premises, and for the testing of such meters;
- (l) The provision and maintenance, at the Consent Holder's expense of such services, (whether electricity, water or compressed air or otherwise), which may be required, in order to operate meters and similar devices;
- (m) At times specified, the provision in a Council approved format by the consent holder to the Council of all flow and/or volume records and results of analyses (including pre-treatment by-products e.g. sewage sludge disposal);
- (n) The provision and implementation of a management plan;
- (o) Risk assessment of damage to the environment due to an accidental discharge of a chemical;
- (p) Waste minimisation and management;
- (q) Cleaner production techniques;
- (r) Remote control of discharges;
- (s) Third party treatment, carriage, discharge or disposal of by-products of pre-treatment of Trade Waste (including sewage sludge disposal);

- (t) Requirement to provide a bond or insurance in favour of the Council where failure to comply with the consent could result in damage to the Council's sewerage system, its treatment plants, or could result in the Council being in breach of any statutory obligation; and
- (u) Remote monitoring of discharges.

**3.8 Duration**

**Duration**

**3.8.1 Permitted Discharges**

**Permitted Discharges**

Permitted discharges shall remain in force indefinitely until either:

- (a) Cancellation under 2.1.2 or 3.10;
- (b) The quantity and nature of the discharge changes significantly. For a temporary discharge application form see Guideline - Appendix C;
- (c) If in the opinion of the council the discharge changes or is likely to change to such an extent that it becomes a conditional or prohibited Trade Waste;
- (d) The Council changes the Trade Waste management procedures by implementation of changed Trade Waste Bylaw conditions or any amendment to, or replacement of, its Trade Waste Bylaw; or
- (e) The conditions on resource consents for the sewerage system and the residuals from it change.

In all cases, after appropriate consultation, the person shall apply within 10 working days of this change occurring for a conditional consent, in accordance with 3.2 of this bylaw. This application shall be approved prior to the occurrence of any new discharge.

**3.8.2 Conditional Consents**

**Conditional Consents**

Subject to 3.10 and 6.1 conditional consents under this bylaw shall expire at the end of a term fixed by the Council subject to the following:

- (a) Conditional consents may be given for a term not exceeding five years to a consent holder who at the time of application satisfies the Council that:
  - (i) The nature of the trade activity, or the process design and/or management of the premises are such that the consent holder has a demonstrated ability to meet the conditions of the consent

- during its term; and/or
- (ii) Cleaner production techniques are successfully being utilised, or that a responsible investment in cleaner production equipment or techniques is being made; and/or
- (iii) Significant investment in pre-treatment facilities has been made, such that a longer period of certainty for the amortizing of this investment is considered reasonable; and/or
- (iv) The reissuing of a consent can not be unreasonably withheld.

Notwithstanding the above the Council retains the right to review the conditions at an earlier time. The reasons for such an earlier review could include:

- [A] The level of consent holder compliance, including any accidents including spills or process mishaps.
  - [B] Matters pertaining to the Council's resource consents for the sewerage system.
  - [C] Matters pertaining to the Councils' environmental policies and outcomes.
  - [D] New control and treatment technologies and processes.
  - [E] Any of the matters outlined in section 4.
  - [F] Matters pertaining to the Council's legal obligations.
- (b) In all other cases the term of a conditional Trade Waste consent should not exceed two years;
  - (c) In all cases where either the consent holder or the owner of the premises changes, or there is a change of use, a new application for conditional Trade Waste consent shall be made. It shall be the responsibility of the consent holder to lodge the new application; and
  - (d) The conditions on resource consents for the sewerage system and the residuals from it change.

### **3.9 Technical Review and Variation**

**Technical  
Review and  
Variation**

**3.9.1** The Council at any time may require a person undertaking a permitted discharge to apply for a consent in accordance with 3.8.1.

**3.9.2** The Council may at any time during the term of a Trade Waste consent, by written notice to the consent holder (following a reasonable period of consultation), vary any condition to such an extent as the Council considers

necessary following a review of the technical issues considered when setting conditions of consent. This is due to new information becoming available or to meet any new resource consent imposed on the discharge from the Council's treatment plant, or with any other legal requirements imposed on the Council.

- 3.9.3** A consent holder may at any time during the term of a consent, by written application to the Council, seek to vary any condition of consent, as provided for in 3.7 of this Bylaw.

**3.10 Cancellation of the Right to Discharge**

**Cancellation of  
The right to  
discharge**

**3.10.1 Suspension or Cancellation on Notice**

**Suspension or  
Cancellation on  
Notice**

The Council may suspend or cancel any consent or right to discharge at any time following 20 working days' (during which consultation has occurred) notice to the consent holder or person discharging any Trade Waste:

- (a) For the failure to comply with any condition of the consent;
- (b) For the failure to maintain effective control over the discharge;
- (c) For the failure to limit in accordance with the requirements of a consent the volume, nature, or composition of Trade Waste being discharged;
- (d) In the event of any negligence which, in the opinion of the Council, threatens the safety of, or threatens to cause damage to any part of the sewer system or the treatment plant or threatens the health or safety of any person;
- (e) If any occurrence happens that, in the opinion of the Council, poses a serious threat to the environment;
- (f) In the event of any breach of a resource consent held by the Council issued under the Resource Management Act 1991;
- (g) Failure to provide and when appropriate update a Management Plan as required for a conditional consent;
- (h) Failure to follow the Management Plan provisions at the time of an unexpected, unscheduled or accidental occurrence;
- (i) Failure to pay any charges under this Bylaw; or
- (j) If any other circumstances arise which, in the opinion of the Council, render it necessary in the public interest to cancel the right to discharge.

If any process changes require more than 20 working days, reasonable time may be given to comply with the consent conditions.

### **3.10.2 Summary Cancellation**

### **Summary Cancellation**

Further to 3.10.1 any Trade Waste consent or discharge may at any time be summarily cancelled by the Council on giving to the consent holder or person discharging written notice of summary cancellation if:

- (a) They discharge any prohibited substance;
- (b) The Council is lawfully directed to withdraw or otherwise to terminate the consent summarily;
- (c) They discharge any Trade Waste unlawfully;
- (d) If the continuance of discharge is, in the opinion of the Council, a threat to the environment or public health;
- (e) If the continuance of discharge may, in the opinion of the Council, result in a breach of a resource consent held by the Council; or
- (f) In the opinion of the Council the continuance of the discharge puts at risk the ability of the Council to comply with conditions of a resource consent and/or requires identified additional treatment measures or costs to seek to avoid a breach of any such resource consent, or contractual obligation.

## **4 TRADE WASTE APPROVAL CRITERIA**

## **Trade Waste Approval Criteria**

### **4.1 Pre-treatment**

### **Pre-treatment**

The Council may approve a Trade Waste discharge subject to the provision of appropriate pre-treatment systems to enable the person discharging to comply with the Bylaw. Such pre-treatment systems shall be provided, operated and maintained by the person discharging at their expense.

Refuse or garbage grinders, and macerators shall not be used to dispose of solid waste from the trade premises to the sewerage system unless approved by the Council.

The person discharging shall not, unless approved by the Council, add or permit the addition of any potable, condensing, cooling water or stormwater to any Trade Waste stream in order to vary the level of any characteristics of the waste.



NB: Condensing and cooling water should not be discharged as of right to a stormwater drain or natural waterway without the consent of the appropriate authority.

## 4.2 Mass Limits

## Mass Limits

A conditional Trade Waste consent to discharge may impose controls on a Trade Waste discharge by specifying mass limits for any characteristic.

Mass limits may be imposed for any characteristic. Any characteristic permitted by mass limit shall also have its maximum concentration limited to the value scheduled unless approved otherwise.

When setting mass limit allocations for a particular characteristic the Council shall consider:

- (a) The operational requirements of and risk to the sewerage system, and risks to occupational health and safety, public health, and the ultimate receiving environment;
- (b) Whether or not the levels proposed pose a threat to the planned or actual beneficial reuse of biosolids or sewage sludge;
- (c) Conditions in the sewerage system near the Trade Waste discharge point and elsewhere in the sewerage system;
- (d) The extent to which the available industrial capacity was used in the last financial period and is expected to be used in the forthcoming period;
- (e) Whether or not the applicant uses cleaner production techniques within a period satisfactory to the Council;
- (f) Whether or not there is any net benefit to be gained by the increase of one characteristic concurrently with the decrease of another to justify any increased application for industrial capacity;
- (g) Any requirements of the Council to reduce the pollutant discharge of the sewerage system;
- (h) How great a proportion the mass flow of a characteristic of the discharge will be of the total mass flow of that characteristic in the sewerage system;
- (i) The total mass of the characteristic allowable in the sewerage system, and the proportion (if any) to be reserved for future allocations; and
- (j) Whether or not there is an interaction with other characteristics which increases or decreases the effect of either characteristic on the sewer

reticulation, treatment process, or receiving water (or land).

**5 SAMPLING, TESTING AND MONITORING**

**Sampling, Testing and Monitoring**

**5.1 Flow Metering**

**5.1.1** Flow metering may be required by the Council:

**Flow Metering**

- (a) On discharges when there is not a reasonable relationship between a metered water supply to the premises, and the discharge of Trade Waste;
- (b) When the council will not approve a method of flow estimation; or
- (c) When the discharge represents a significant proportion of the total flow/load received by the Council.

**5.1.2** The consent holder shall be responsible for the supply, installation, reading and maintenance of any meter required by the Council for the measurement of the rate or quantity of discharge of Trade Waste. These devices shall be subject to the approval of the Council, but shall remain the property of the consent holder.

**5.1.3** Records of flow and/or volume shall be available for viewing at any time by the Council, and shall be submitted to the Council at prescribed intervals by the consent holder in a format approved by the Council.

**5.1.4** Meters shall be located in a position approved by the Council which provides the required degree of accuracy and should be readily accessible for reading and maintenance. The meters shall be located in the correct position according to the manufacturer's installation instructions.

**5.1.5** The consent holder shall arrange for in situ calibration of the flow metering equipment and instrumentation by a person and method approved by the Council upon installation and if required at Council's request thereafter to ensure its performance. The meter accuracy should be  $\pm 10\%$  but with no greater deviation from the previous meter calibration of  $\pm 5\%$ . A copy of independent certification of each calibration result shall be submitted to the Council.

- 5.1.6** Should any meter, after being calibrated, be found to have an error greater than that specified in 5.1.5 as a repeatable measurement, the Council may make an adjustment in accordance with the results shown by such tests back-dated for a period at the discretion of the Council but not exceeding 12 months, and the consent holder shall pay or be credited a greater or lesser amount according to such adjustment.

**5.2 Estimating Discharge**

**Estimating  
Discharge**

- 5.2.1** Where no meter or similar apparatus is warranted, the Council may require that a percentage of the water supplied to the premises (or other such basis as seems reasonable) be used for estimating the rate or quantity of flow for the purposes of charging.

- 5.2.2** Should any meter be out of repair or cease to register, or be removed, the Council shall estimate the discharge for the period since the previous reading of such meter, (based on the average of the previous 12 months charged to the person discharging) and they shall pay according to such estimate. Provided that when by reason of a large variation of discharge due to seasonal or other causes, the average of the previous 12 months would be an unreasonable estimate of the discharge, then the Council may take into consideration other evidence for the purpose of arriving at a reasonable estimate, and the person discharging shall pay according to such an estimate.

- 5.2.3** Where in the opinion of the Council, a meter has been tampered with, the Council (without prejudice to the other remedies available) may declare the reading void and estimate discharge as provided above.

**5.3 Sampling and Analysis**

**Sampling and  
Analysis**

- 5.3.1** As determined by the Council sampling, testing and monitoring may be undertaken to determine if:
- (a) A discharge complies with the provisions of this Bylaw;
  - (b) A discharge is to be classified as a permitted, conditional, or prohibited, refer to 3.1;

- (c) A discharge complies with the provisions of Schedule 1A for permitted discharge and any consent to discharge; and
- (d) Trade Waste consent charges are applicable to that discharge.

**5.3.2** The taking, preservation, transportation and analysis of the sample shall be undertaken by an authorised officer or agent of the Council, or the person discharging in accordance with accepted industry standard methods, or by a method specifically approved by the Council. The person discharging shall be responsible for all reasonable costs. Where a dispute arises as to the validity of the methods or procedures used for sampling or analysis, the dispute may be submitted to a mutually agreed independent arbitrator.

**5.3.3** All authorised officers or authorised agents of the Council, or any analyst may enter any premises believed to be discharging Trade Waste at any time in order to determine any characteristics of any actual or potential discharge by:

- (a) Taking readings and measurements;
- (b) Carrying out an inspection; and/or
- (c) Taking samples for testing, of any solid, liquid, or gaseous material or any combination or mixture of such materials being discharged.

Authorisation for entry to premises is given under the Local Government Act and entry shall be in compliance with the health and safety policies of that particular site.

**5.4 Monitoring**

**Monitoring**

**5.4.1 Monitoring for Compliance**

**Monitoring for Compliance**

The Council is entitled to monitor and audit any Trade Waste discharge for compliance. Whether for a permitted discharge or a conditional consent discharge monitoring may be carried out as follows:

- (a) The Council or its authorised agent will take the sample and arrange for this sample to be analysed in an approved laboratory by agreed/approved analytical methods;
- (b) The sampling procedure will be appropriate to the Trade Waste and the analysis;

- (c) The Council will audit the sampling and analysis carried out by a self-monitoring Trade Waste discharger. Analysis will be performed by an approved laboratory. Inter-laboratory checks are to be part of this process;
- (d) The Council will audit the sampling and analysis carried out by an analyst. Analysis will be performed by an approved laboratory. Inter-laboratory checks are to be part of this process; and
- (e) The Council will audit the Trade Waste consent conditions including any management plans. At the discretion of the Council all costs of monitoring shall be met by the discharger either through direct payment to the laboratory or to the Council.

#### **5.4.2 Sampling Methodology**

#### **Sampling Methodology**

Normally a single grab or composite sample is sufficient. If required the grab or composite sample can be split equally into three as follows:

- (a) One portion of the sample goes to the Trade Waste discharger for appropriate analysis and/or storage;
- (b) A second portion of the sample shall be analysed at a laboratory approved by the Council;
- (c) A third portion of the sample is retained by the Council for 20 working days, for additional analysis if required.

Due consideration will be applied to any changes that could occur in retained Trade Waste samples and provisions to mitigate against changes will be adopted where practicable. In all cases the samples shall be handled in an appropriate manner such that the characteristics being tested for are, as far as reasonably possible, preserved.

All samples shall be preserved, handled, transported and delivered to an approved laboratory according to best possible practice and approved standards.

#### **5.4.3 Tankered Wastes**

#### **Tankered Wastes**

Tankered wastes shall not be discharged into the council's sewerage system by any person or consent holder not compliant with the Liquid and Hazardous Wastes Code of Practice.

The Council may accept tankered wastes for discharge at an approved location. Tankered wastes shall:

- (a) Be transported by a consent holder to discharge domestic septic tank or industrial wastes;
- (b) Have material safety data sheets (MSDS) supplied to the Council detailing the contents of a waste;
- (c) Be tested to determine their character if the contents of the waste are not known. Specialist advice on pre-treatment or acceptance may be required. The cost of all testing and advice shall be borne by the consent holder.
- (d) Not be picked up and transported to the disposal site until appropriate arrangements and method for disposal have been determined by the Council.
- (e) To prevent cross-contamination between tanker loads, the tanker shall be thoroughly washed prior to collecting a load for disposal into the sewerage system; and
- (f) Have 24 hours notice given for the disposal of wastes other than those sourced from domestic septic tanks.

Any person illegally disposing of, or causing to be disposed, tankered waste either by incorrect disclosure of contents (characteristics and/or amount) or dumping into the Council's sewerage system other than the prescribed location will be in breach of the Bylaw.

**5.4.4 Disinfected/Super Chlorinated Water**

**Disinfected/  
Super Chlorinated  
Water**

Any water used during the repair and construction of water mains shall be de-chlorinated prior to the discharge into the sewerage system. Application for a temporary discharge consent shall be made. Such water shall not be disposed of to stormwater or adjacent water courses without appropriate approvals.

**6 BYLAW ADMINISTRATION**

**Bylaw  
Administration**

**6.1 Review of Decisions**

**Review Of  
Decisions**

If any person is dissatisfied with any decision by an authorised officer made under this Bylaw, that person may, by notice delivered to the Chief Executive Officer of the Council not later than 20 working days after the decision by the authorised officer is served upon that person, request the Chief Executive Officer to review any such decision and such a decision shall be final.

**6.2 Accidents and Non-compliance**

**Accidents and Non-compliance**

The person discharging shall inform the Council immediately on discovery of any accident including spills or process mishaps which may cause a breach of this Bylaw.

In the event of any accident occurring when the person holds a conditional consent, then the Council may review the consent under 3.9 or may require the consent holder, within 20 working days of the date such requirement is notified to the consent holder in writing, to review the contingency management procedures and re-submit for approval the management plan with the Council.

In the event of an accident occurring on the premises of a permitted discharge, the Council may require the person discharging to apply for a conditional consent.

**6.3 Charges and Payments**

**Charges and Payments**

**6.3.1 Charges**

**Charges**

The Council may recover fees and charges in accordance with the Local Government Act. Schedule 1B outlines the charges applicable.

**6.3.2 Invoicing**

**Invoicing**

All charges determined in accordance with 6.3.1 shall be invoiced in accordance with the Council's standard commercial practice. The invoice shall provide each person discharging with a copy of the information and calculations used to determine the extent of any charges and fees due, in regard to a discharge.

**6.3.3 Cease to Discharge**

**Cease to Discharge**

The person discharging shall be deemed to be continuing the discharge of Trade Waste and shall be liable for all charges, until notice of disconnection is given.

**6.3.4 Failure to Pay**

**Failure to Pay**

All fees and charges payable under this Bylaw shall be recoverable as a debt. If the person discharging fails to pay any fees and charges under this Bylaw the Council may cancel the right to discharge in accordance with 3.10.

**6.3.5 Recovery of Costs**

**Recovery of  
Costs**

The Council may recover costs under the Local Government Act relating to Section 150, wilful damage or negligent behaviour (Section 175) and remedying damage arising from breach of Bylaw (Section 176).

**6.4 Authorised Officers**

**Authorised  
Officers**

All authorised officers of the Council, or other persons authorised under Section 174 or Section 177 or paragraph 32 of Schedule 7 of the Local Government Act, shall possess and produce on request warrants of authority and evidence of identity.

Any authorised officers may at any reasonable time enter any premises believed to be discharging Trade Wastes to determine any characteristic of any discharge by:

- (a) Taking readings and measurements; or
- (b) Taking samples or any solids, liquids or gaseous material or any combination or mixtures of such materials being discharged; or
- (c) Observing accidental occurrences and clean up.

**6.5 Transfer or Termination of Rights and Responsibilities**

**Transfer or  
Termination of  
Rights and  
Responsibilities**

**6.5.1** A Trade Waste consent to discharge shall be issued in the name of the given consent holder. The consent holder shall not, unless written approval is obtained from the Council:

- (a) Transfer to any other party the rights and responsibilities provided for under this Bylaw, and under the consent;
- (b) Allow a point of discharge to serve another premises, or the private drain to that point to extend by pipe or any other means to serve another premises; or
- (c) In particular and not in limitation of the above, allow sewage from any other party to be discharged at their point of discharge.

NB: This clause does not relate to permitted discharges.



- 6.5.2** Renewal of a Trade Waste consent on change of ownership of premises shall not be unreasonably withheld if the characteristics of the sewage remain unchanged.

NB: This clause does not relate to permitted discharges.

- 6.5.3** The person discharging shall give 48 hours notice in writing to the Council of their requirement for disconnection of the discharge connection and/or termination of the discharge consent, except where demolition or relaying of the discharge drain is required, in which case the notice shall be within seven working days. The person discharging shall notify the Council of the new address details for final invoicing.

On permanent disconnection and/or termination the person discharging may at the Councils discretion be liable for Trade Waste charges to the end of the current charging period.

- 6.5.4** When a person discharging ceases to occupy premises from which Trade Wastes are discharged into the sewerage system any consent granted shall terminate but without relieving the person discharging from any obligations existing at the date of termination.

## **6.6 Service of Documents**

**Service of Documents**

### **6.6.1 Delivery or Post**

**Delivery or Post**

Any notice or other document required to be given, served or delivered under this Bylaw to a person discharging may (in addition to any other method permitted by law) be given or served or delivered by being:

- (a) Sent by pre-paid ordinary mail, courier, or facsimile, or email to the person discharging at the persons discharging last known place of residence or business;
- (b) Sent by pre-paid ordinary mail, courier, or facsimile, or email to the person discharging at any address for service specified in a consent to discharge;
- (c) Where the person discharging is a body corporate, sent by pre-paid ordinary mail, courier, or facsimile, or email to, or left at its registered office; or
- (d) Personally served on the person discharging.

### **6.6.2 Service**

### **Service**

If any notice or other document is:

- (a) Sent by post it will be deemed received on the first day (excluding weekends and public holidays) after posting;
- (b) Sent by facsimile or email and the sender's facsimile or email machine produces a transmission report indicating that the facsimile or email was sent to the addressee, the report will be prima facie evidence that the facsimile or email was received by the addressee in a legible form at the time indicated on that report; or
- (c) Sent by courier and the courier obtains a receipt or records delivery on a courier run sheet, the receipt or record of delivery on a courier run sheet will be prima facie evidence that the communication was received by the addressee at the time indicated on the receipt or courier run sheet, or left at a conspicuous place at the Trade Premises or is handed to a designated person(s) nominated by the consent holder then that shall be deemed to be service on, or delivery to the consent holder at that time.

### **6.6.3 Signature**

### **Signature**

Any notice or document to be given, served or delivered shall be signed by an authorised officer.

### **6.7 Offences**

### **Offences**

Every person or consent holder or owner or occupier of Trade Premises who:

- (a) Fails to comply with or acts in contravention of any provision of this Bylaw;
- (b) Breaches the conditions of any consent to discharge granted pursuant to this Bylaw, or
- (c) Fails to comply with a notice served under this Bylaw, Commits an offence under Section 239 of the Local Government Act (LGA) and is liable to a fine as specified in Section 242 of the LGA, or the issue of an infringement notice under Section 245 of the LGA.

**6.8 Transitional Provisions**

**Transitional Provisions**

**6.8.1 Applications**

**Applications**

Any application for a consent to discharge Trade Waste made under the TDC Trade Waste Bylaw 2005 for which a consent has not been granted at the time of this new Bylaw coming into force shall be deemed to be an application made under 3.2 of this Bylaw.

**6.8.2 Existing Trade Waste Consents**

**Existing Trade Waste Consents**

Every existing Trade Waste consent shall continue in force as if it were a consent under this Bylaw until it reaches its expiry date provided that no consent shall run beyond 31 December 2008. Council reserves the right to review and amend any conditions of any existing consent to ensure its conditions are aligned with this Bylaw.

**7 DATE BYLAW MADE**

**Date Bylaw Made**

This Bylaw was made by the Tasman District Council at a meeting on 14 December 2005.

The common seal of the Tasman District Council is attached in the presence of

\_\_\_\_\_ Mayor

\_\_\_\_\_ Chief Executive Officer

## **SCHEDULE 1A PERMITTED DISCHARGE CHARACTERISTICS**

### **1A.1 Discharge characteristics**

#### **Acceptable criteria**

The tables in this section and the contaminant concentrations shown are indications of what is acceptable. The acceptance criteria/characteristics are generally sourced from the guidelines for sewerage systems – acceptance of Trade Waste (industrial waste).

#### **Factors affecting acceptance conditions**

The following factors may be considered:

- (a) Volume, concentration, contaminant hazard assessment of the Trade Waste;
- (b) Effectiveness and reliability of industry-based pre-treatment, if any. Reliability includes a given industries track record in operating a pre-treatment plant;
- (c) Effectiveness and reliability of the council's sewerage collection, treatment and disposal of facilities;
- (d) Treated wastewater disposal location, e.g. high energy coastal outfall, inland waterways, irrigated land disposal system, wetlands;
- (e) Reuse of treated wastewater and/or biosolids;
- (f) Sludge disposal method by both industry and the Council. Disposal to a Class A landfill will require less control over the resultant sludge than disposal to a Class B landfill or reuse as biosolids;
- (g) Occupational health and safety requirements.

## 1A.2 Physical Characteristics

<i>Flow</i>	
(a)	The 24 hour flow volume shall be less than 5m <sup>3</sup>
(b)	The maximum instantaneous flow rate shall be less than 2.0L/s.
<i>Temperature</i>	
The temperature shall not exceed 40°C	
<i>Solids</i>	
(a)	Non-faecal gross solids shall have a maximum dimension which shall not exceed 15mm.
(b)	The suspended solids content of any wastewater shall have a maximum concentration which shall not exceed 1000 g/m <sup>3</sup> .
(c)	The settleable solids content of any wastewater shall not exceed 50 mL/L.
(d)	The total dissolved solids concentration in any wastewater shall be subject to the approval of the council having regard to the volume of the waste to be discharged, and the suitability of the drainage system and the treatment plant to accept such waste.
(e)	Fibrous, woven, or sheet film or any other materials which may adversely interfere with the free flow of wastewater in the drainage system or treatment plant shall not be present.
<i>Oil and Grease</i>	
(a)	There shall be no free or floating layer.
(b)	A Trade Waste with mineral oil, fat or grease unavoidably emulsified, which in the opinion of the Council is not biodegradable shall not exceed 100 g/m <sup>3</sup> as petroleum ether extractable matter when the emulsion is stable at a temperature of 15°C and when the emulsion is in contact with and diluted by a factor of 10 by raw sewage, throughout the range of pH 6.0 to pH 9.0
(c)	A Trade Waste with oil, fat or grease unavoidably emulsified, which in the opinion of the Council is biodegradable shall not exceed 100 g/m <sup>3</sup> when the emulsion is stable at a temperature of 15°C and when the emulsion is in contact with, and diluted by, a factor of 10 by raw sewage throughout the range pH 6.0 to pH 9.0
(d)	Emulsified oil, fat or grease shall not exceed 100 g/m <sup>3</sup> as petroleum ether extractable matter when the emulsion is unstable at a temperature of 15°C and when the emulsion is in contact with, and diluted by, a factor of 10 by raw sewage throughout the range pH 6.0 to pH 9.0.
<i>Solvents and Other Organic Liquids</i>	
There shall be no free layer (whether floating or settled) of solvents or organic liquids.	
<i>Emulsions of paint, latex, adhesive, rubber, plastic or similar material</i>	
(a)	Where such emulsions are not treatable they may be discharged into the sewer subject to the total suspended solids not exceeding 1000 g/m <sup>3</sup> .
(b)	The Council may require pre-treatment of such emulsions if the emulsion wastewater unreasonably interferes with the operation of the Council's treatment plant, e.g. reduces % UVT (ultra violet transmission).
(c)	Such emulsions, of both treatable and non-treatable types, shall be discharged to the sewer only at a concentration and pH range that prevents coagulation and blockage at the mixing zone in the public sewer.

*Radioactivity*

Radioactivity levels shall not exceed the National Radiation Laboratory Guidelines.

*Colour*

No waste shall have colour or colouring substance that causes the discharge to be coloured to the extent that it impairs wastewater treatment processes or compromises the final effluent discharge consent.

*Inhibitory Substances*

Should any characteristic of a discharge be found to inhibit the performance of the wastewater treatment process, such that the Council is significantly at risk or prevented from achieving its environmental statutory requirements, then the Council reserves the right to amend the corresponding consent summarily.

*Chemical Characteristics*

*pH Value*

The pH shall be between 6.0 and 9.0 at all times.

*Organic Strength*

The Biochemical Oxygen Demand (BOD<sub>5</sub>) of any waste may require to be restricted where the capacity for receiving and treating BOD<sub>5</sub> is limited. A BOD<sub>5</sub> restriction may be related to mass limits.

Where there is no Council treatment system for organic removal of the BOD<sub>5</sub> shall not exceed 1000 g/m<sup>3</sup>. for significant industry this may be reduced to 600 g/m<sup>3</sup>.

*Maximum Concentrations*

*Introduction*

The maximum concentrations permissible for the chemical characteristics of an acceptable discharge are set out in the following tables:

Table 1A.1 – General chemical characteristics

Table 1A.2 – Heavy metals

Table 1A.3 – Organic compounds and pesticides

<b>TABLE 1A.1 – GENERAL CHEMICAL CHARACTERISTICS</b> (Mass limits may be imposed, refer to 4.2) <b>Characteristic Maximum Concentration (g/m<sup>3</sup>)/ppm</b>	
MBAS (Methylene blue active substances)	500
Ammonia (measured as N) - free ammonia - ammonium salts	50 200
Kjeldahl nitrogen	150
Total phosphorus (as P)	50
Sulphate (measured as SO <sub>4</sub> )	200
Sulphite (measured as SO <sub>2</sub> )	15
Sulphide – as H <sub>2</sub> S on acidification	1
Chlorine (measured as Cl <sub>2</sub> ) - free chlorine - hypochlorite	3 30
Dissolved aluminium	100
Dissolved iron	100
Boron (as B)	25
Bromine (as Br <sub>2</sub> )	5
Fluoride (as F)	5
Cyanide – weak acid dissociable (as CN)	5

<b>TABLE 1A.2 – HEAVY METALS</b> (Mass limits may be imposed, refer to 4.2) <b>Metal Maximum Concentration (g/m<sup>3</sup>)/ppm</b>	
Antimony	5
Arsenic	1
Barium	10
Beryllium	0.005
Cadmium	0.5
Chromium	5
Cobalt	5
Copper	5
Lead	5
Manganese	10
Mercury	0.05
Molybdenum	5
Nickel	5
Selenium	5
Silver	1
Thallium	5
Tin	10
Zinc	5



<b>TABLE 1A.3 – ORGANIC COMPOUNDS AND PESTICIDES</b>	
<b>(Mass limits may be imposed, refer to 4.2)</b>	
<b>Compound Maximum Concentration (g/m<sup>3</sup>)/ppm</b>	
Formaldehyde (as HCHO)	50
Phenolic compounds (as phenols) excluding chlorinated phenols	50
Chlorinated phenols	0.02
Petroleum hydrocarbons	30
Halogenated aliphatic compounds	1
Monocyclic aromatic hydrocarbons	5
Polycyclic (or polynuclear) aromatic hydrocarbons (PAHs)	0.05
Halogenated aromatic hydrocarbons (HAHs)	0.002
Polychlorinated biphenyls (PCBs)	0.00
Polybrominated biphenyls (PBBs)	0.002 each
Pesticides (general) (Includes insecticides, herbicides, fungicides and excludes organophosphate, organochlorine and any pesticides not registered for use in New Zealand)	0.2 in total
Organophosphate pesticides	0.1

## **SCHEDULE 1B TRADE WASTE CHARGES**

Fees and charges are set by Council resolution. This may be done by the annual plan process, fee setting or a similar transparent public process in accordance with the LGA.

In the following table the Council states what categories they will charge, or may charge, under the tenure of this Bylaw.

NB: A wide range of categories has been provided in the following table to leave options open and promote awareness for future changes in the Council's sewerage system requirements.

<b>A</b>	<b>Administrative Charges Category Description</b>
A1	Connection fee payable on application for connection to discharge.
A2	Compliance monitoring – the cost of sampling and analysis of Trade Waste discharges.
A3	Disconnection fee payable following a request for disconnection from sewerage system.
A4	Trade Waste application fee payable on an application for a Trade Waste discharge.
A5	Re-inspection fee payable for each re-inspection visit by the Council where a notice served under this Bylaw has not been complied with by the Trade Waste discharger.
A6	Special rates for loan charges – additional rates for servicing loans raised for the purposes of constructing or improving the sewerage system.
A7	Temporary discharge fee payable prior to receipt of temporary discharge.
A8	Annual Trade Waste charges – an annual management fee for a Trade Waste discharge to cover the Council's costs associated with for example:  (a) Administration; (b) General compliance monitoring; (c) General inspection of Trade Waste premises; (d) Use of the sewerage system. This charge may vary depending on the Trade Waste sector and category of the discharger.
A9	Rebates for trade premises – reduction in fees is provided for in S 150(2) of the LGA. S150(4) within the district of the LGA states that the fees prescribed by the Council shall not provide for the Council to recover more than the reasonable cost incurred by the Council for the matter for which the fee is charged.

In no event shall the resultant charge be less than the Council's sewerage charge for the equivalent period.

A10 New or additional trade pay the annual fees and pro rata proportion of the various premises Trade Waste charges relative to flows and loads.